

Nieobecności

Nieobecności -> [Absence](#)

1. Zestawienie nieobecności

GET /employee/{employeeInInstitutionId}/absence

GET /v1.0/employee/{employeeInInstitutionId}/absence

Request GET /employee/{employeeInInstitutionId}/absence

```
Request method: GET
Request URI: https://polon2-stage.opi.org.pl/employees-api/employee/9573565e-48a9-4498-af19-1aa08d4715fc/absence
Headers: Authorization=Bearer eyJh...w
         institution=511d4dfc-574e-4801-af14-e99dc24f8209
         Accept=*/ *
         Content-Type=application/hal+json; charset=UTF-8
```

Response GET /employee/{employeeInInstitutionId}/absence

```
HTTP/1.1 200 OK
{
  "myInstAbsence": {
    "institutionName": "Uniwersytet Warszawski",
    "employeeInInstitutionId": "9573565e-48a9-4498-af19-1aa08d4715fc",
    "absenceResponses": [
      {
        "absenceId": "4e707bac-ceaa-4580-95ff-5cd7309f7225",
        "year": 2019,
        "absence": 5
      }
    ]
  },
  "otherInstAbsences": [
  ]
}
```

2. Wyświetlenie szczegółów dot. nieobecności

GET /employee/{employeeInInstitutionId}/absence/{absenceId}

GET /v1.0/employee/{employeeInInstitutionId}/absence/{absenceId}

Request GET /employee/{employeeInInstitutionId}/absence/{absenceId}

```
Request method: GET
Request URI: https://polon2-stage.opi.org.pl/employees-api/employee/cca02f48-20f8-41eb-87bd-883718e28cb3/absence/81d3f00f-d70f-479f-90c4-7dc38284cc91
Headers: Authorization=Bearer eyJh...w
         institution=511d4dfc-574e-4801-af14-e99dc24f8209
         Accept=*/ *
         Content-Type=application/hal+json; charset=UTF-8
```

Response GET /employee/{employeeInInstitutionId}/absence/{absenceId}

```
HTTP/1.1 200 OK
{
  "absenceId": "81d3f00f-d70f-479f-90c4-7dc38284cc91",
  "year": 2019,
  "absence": 5
}
```

3. Dodanie nieobecności

POST /employee/{employeeInInstitutionId}/absence

POST /v1.0/employee/{employeeInInstitutionId}/absence

Request POST /employee/{employeeInInstitutionId}/absence

```
Request method: POST
Request URI: https://polon2-stage.opi.org.pl/employees-api/employee/a5027a5c-137e-40db-9384-3faa1fb00676/absence
Headers: Authorization=Bearer eyJ...hg
          institution=511d4dfc-574e-4801-af14-e99dc24f8209
          Accept= */*
          Content-Type=application/hal+json; charset=UTF-8
Body:
{
  "year": 2019,
  "absence": 5
}
```

Response POST /employee/{employeeInInstitutionId}/absence

```
HTTP/1.1 200 OK
{
  "absenceId": "7d5df47e-bb1f-4db6-b66b-d721c772531b",
  "year": "2019",
  "absence": 5
}
```

4. Edycja nieobecności

PUT /employee/{employeeInInstitutionId}/absence/{absenceId}

PUT /v1.0/employee/{employeeInInstitutionId}/absence/{absenceId}

Request PUT /employee/{employeeInInstitutionId}/absence/{absenceId}

```
Request method: PUT
Request URI: https://polon2-stage.opi.org.pl/employees-api/employee/24ec3e1b-6361-452c-9dcf-689bf20045e4/absence/e29a5ef6-6c36-4c2c-ae8b-f19f3c98d58d
Headers: Authorization=Bearer eyJh...4hg
          institution=511d4dfc-574e-4801-af14-e99dc24f8209
          Accept= */*
          Content-Type=application/hal+json; charset=UTF-8
Body:
{
  "absenceId": "e29a5ef6-6c36-4c2c-ae8b-f19f3c98d58d",
  "year": 2018,
  "absence": 100
}
```

Response PUT /employee/{employeeInInstitutionId}/absence/{absenceId}

HTTP/1.1 200 OK

5. Usunięcie nieobecności

DELETE /employee/{employeeInInstitutionId}/absence/{absenceId}

DELETE /v1.0/employee/{employeeInInstitutionId}/absence/{absenceId}

Request DELETE /employee/{employeeInInstitutionId}/absence/{absenceId}

Request method: DELETE

Request URI: https://polon2-stage.opi.org.pl/employees-api/employee/eb69bbc9-ad60-4a05-bcc1-99e794244a47/absence/2e52445e-69bb-452d-b953-e49f3fe6a64f

Headers: Authorization=Bearer ey..hg
institution=511d4dfc-574e-4801-af14-e99dc24f8209
Accept=/*/*
Content-Type=application/hal+json; charset=UTF-8

Response DELETE /employee/{employeeInInstitutionId}/absence/{absenceId}

HTTP/1.1 200 OK